

System Overview

Nx Witness is an open, extensible IP video management system with Cloud, Desktop, Mobile, and Server applications.





CLOUD

A cloud-based service that enables simple, centralized remote access and insight into any Nx Witness system.

BROWSERS Google Chrome Mozilla Firefox Microsoft Edge



DESKTOP

A rich media player with a flexible GRID interface designed for connecting to and managing an Nx Witness system.

Mac OS



SERVER

A powerful, lightweight media server designed to discover, add, and manage system devices and resources.



MOBILE

A mobile application for iOS and Android devices designed for remote viewing and control of

| C | PERATING SYSTEMS | | Ol |
|----|------------------|---|----------|
| 4 | Windows | | 4 |
| ·Ċ | Ubuntu Linux | | Q. |
| , | |] | g. |

| C | OPERATING SYSTEMS | | | | | |
|-----------------------|--------------------|--|--|--|--|--|
| Windows | | | | | | |
| ♥ Ubuntu Linux | | | | | | |
| ARM. | ARM / Debian Linux | | | | | |

| OPERATING SYSTEMS | | | | |
|-------------------|----------------|--|--|--|
| · | Google Android | | | |
| ď | Apple iOS | | | |
| e | Microsoft Edge | | | |
| | | | | |



Desktop Overview

A rich desktop application with a flexible GRID interface designed for connecting to, viewing, and managing your Nx Witness System.



| USABILITY | MEDIA | CONFIGURATION | SEARCH |
|------------------------------|----------------------------|----------------------------|---------------------|
| T Drag & Drop Interface | IP Video Cameras / Devices | Events & Rules Engine | Smart Motion Search |
| ↑ Consolidated Notifications | RTSP/HTTP Streams | User Management | Keyword Search |
| Adaptive Playback | [2] I/O Devices | IP Video Devices | Calendar Search |
| Customizable Layouts | Web Pages / URLs | Server Management | Object Search |
| Digital Maps | Recorded Video Files | ←I ↑ I/O Device Management | * Bookmarks |
| Adaptive Scaling | Static Image Files | Storage Management | Audit Trail |



Desktop Specs

MINIMUM SUPPORTED SPECS

HARD DRIVE: HDD/SSD/mSATA RAM: 2GB CPU: Quad Core Intel Celeron CPU or higher GRAPHICS: Intel HD Graphics 3000 w/ OpenGL2.1 support

NETWORKING: 1Gbps NIC

PERFORMANCE SPECS

HARD DRIVE: Performance SSD

RAM: 16 GB CPU: Intel Core i5

GRAPHICS: NVIDIA GeForce GTX 1050

(OpenGL2.1 support is required)

NETWORKING: 10 Gbps NIC

MAXIMUM # OF GRID ITEMS PER LAYOUT

64 Items (e.g. 64 live streams)

SUPPORTED OPERATING SYSTEMS

WINDOWS +



Windows 10 Windows 11

Windows Server 2012 Windows Server 2012 R2 Windows Server 2016 Windows Server 2019 Windows Server 2022

UBUNTU LINUX (Č



Ubuntu Linux 18.04 LTS Ubuntu Linux 20.04 LTS Ubuntu Linux 22.04 LTS

MAC OS C



macOS 11.0, 11.1, 11.2 macOS 12 macOS 13

UNIQUE CAPABILITIES

DESKTOP MODES

CONNECTED CLIENT: Manage any connected Nx Witness System

MEDIA PLAYER: View, edit, and export offline videos and images

VIDEO WALL: Put Nx Desktop into Video Wall mode to control remotely

UNIQUE FEATURES

MULTILINGUAL SUPPORT: Support for 20+ languages

SHOWREEL: Fully customizable viewing sequences of any GRID media

CUSTOMIZABLE BRANDING: Customizable Desktop background

DRAG & DROP REASSIGNMENT: Move cameras/streams between Servers

INTEL® QUICK SYNC: Decode high-resolution video on low power hardware

SEARCH

ADVANCED OBJECT: Search by detected object and metadata attributes

FLEX TIMELINE: Search by date / time using calendar or mouse movements

EVENTS: Quickly search System event log to find event-driven video

SMART MOTION: Select specific pixels to search a year of archive in seconds

BOOKMARKS: Create Bookmarks manually or automatically with Rules Engine

SUPPORTED MEDIA PLAYBACK & CONTROL

LIVE STREAMING (CAMERAS & STREAMS)

CODECS: H.265 H.264 MJPEG MPEG4

OFFLINE MEDIA FILES

VIDEOS: AVI MKV MP4 MOV, TS M2TS MPEG MPG FLV WMV 3GP

IMAGES: JPG PNG GIF BMP TIFF

CONTROL DEVICES

I/O Devices: Status and Triggers

SERVERS: Server Health Monitoring

BUILT-IN BROWSER

BROWSER SUPPORT: Websites, URLs, IP Addresses



Server Overview

A lightweight media server designed for discovering, adding, and managing system resources and their related metadata.



| | DISCOVER | | MANAGE |
|----------------|----------------------------|-------------|---------------------------|
| ত | 99% of IP Cameras, Webcams | Ø | Device Configurations |
| 8 | I/O Devices | | System Rules |
| 0 - | Encoders | [] | Failover / Redundancy |
| | RTSP / HTTP / UDP Streams | - \$ | Connections (HTTP, HTTPS) |
| | SAMBA NAS Devices | Œ. | Archived Video |
| n ^x | Nx Systems and Servers | 4 | Flexible Archive Backup |

| VIEW | INTEGRATE |
|-----------------------|-----------------------|
| Server Health | HTTP Events & Actions |
| Live / Recorded Video | Server API |
| System Configuration | [m] Metadata SDK |
| ■ Log Files | Video Source SDK |
| Audit Trail | Storage SDK |
| Storage Status | Server via Cloud API |
| | |



Server Specs

COMPATIBLE HARDWARE

| RECOMMENDED BASED ON # OF STREAMS | | | | | |
|-----------------------------------|-------|------|-------------------|--|--|
| STREAMS | RAM | NIC | CPU | | |
| Up to 8 | 1 GB | 1 GB | Dual Core ARM | | |
| Up to 16 | 2 GB | 1 GB | Dual Core Atom | | |
| Up to 32 | 4 GB | 1 GB | Dual Core Celeron | | |
| Up to 64 | 8 GB | 1 GB | Core i3 | | |
| Up to 128 | 16 GB | 1 GB | Core i3 | | |

^{*}CPUs change fast and this spec sheet is fixed.

RECOMMENDED MAXIMUMS

OF RESOURCES PER SYSTEM: 10,000

OF CLIENTS PER SYSTEM: UNLIMITED

OF STREAMS PER SERVER: 128

OF SERVERS IN A SERVER HIVE: 100

OF USERS IN A SYSTEM: 1000

SUPPORTED OPERATING SYSTEMS

WINDOWS +



Windows 10 Windows 11

Windows Server 2012

Windows Server 2012 R2 Windows Server 2016

Windows Server 2019

Windows Server 2022

UBUNTU LINUX •(



Ubuntu Linux 18.04 LTS Ubuntu Linux 20.04 LTS Ubuntu Linux 22.04 LTS

ARM DEVICES ARM

Raspberry Pi

NVIDIA Jetson Development Devices

* Contact us to learn more about our ARM support

SERVER HIVE

SYNCHRONIZATION: SERVERS SYNCHRONIZE SYSTEM DATA IN REAL TIME

FAILOVER: AUTOMATIC CAMERA FAILOVER WHEN SERVER FAILS

ARCHIVE INTEGRITY

INTEGRITY CHECK: NOTIFICATION WHEN FILES MANUAL MODIFIED

BACKUP: REAL-TIME (CONCURRENT) OR SCHEDULED

NO PREREQUISITE SOFTWARE REQUIRED

DATABASE: SOLITE + PROPRIETARY ARCHIVE INDEX

LIGHTWEIGHT: ~75MB INSTALL FILE

STORAGE

LAN / WAN: HDD SSD NAS (SAMBA)

STORAGE SDK: INTEGRATE NEW STORAGE MEDIUMS (E.G. FTP, CLOUD)

SECURITY

USER RIGHTS: LDAP/ACTIVE DIRECTORY SECURE PASSWORD RECOVERY

TECHNOLOGIES: HTTPS OPEN SSL SALTED MD5 HASH TLS/SSL

ENCRYPTION: SECURE CONNECTIONS ENCRYPTED VIDEO

LIVE STREAM (AVAILABLE VIA SERVER API)

VIDEO: H.265 H.264 MJPEG MPEG4

AUDIO: AAC PCM (Mu-Law, A-law) g726 MP3

PROTOCOLS: RTSP WebM HLS

TRANSCODING: SUPPORTED (FOR WEB CLIENT, MOBILE, API)

OTHER MEDIA

VIDEOS: AVI MKV MP4 MOV TS M2TS MPEG MPG FLV WMV 3GP

IMAGES: JPG PNG GIF BMP TIFF

VIRTUAL CAMERA: Upload footage from offline cameras (e.g. wearable cameras)

^{*} Based on lab environments. Designing a system that exceeds the numbers above? Contact us for assistance.



Cloud Overview

A public cloud application built to enable simple, fast, remote connectivity and management of Nx Witness Systems.



| CONNECT | VIEW | MANAGE | SCALE |
|-----------------------|---------------------------|------------------------|------------------------|
| NAT Traversal | Live Video (adaptive) | System Settings | Unlimited # of Systems |
| Data Proxy via AWS | Recorded Video (adaptive) | User Permissions | Unlimited # of Users |
| LDAP Credentials | Camera Details | Cloud Connections | Unlimited # of Devices |
| Encrypted Connections | Keyword Search | ✓ Email Notifications | Cloud API |
| ₹ Wifi / LAN / WAN | Calendar Search | (I) Push Notifications | |
| 4G / LTE / Data | Scalable Timeline | Health Monitoring | |



Cloud Specs

SCALABILITY

MAXIMUM # OF CONNECTED SYSTEMS

UNLIMITED

MAXIMUM # OF USERS

UNLIMITED


NX CLOUD SERVICES

CLOUD CONNECT

Connect any Nx Witness System to Nx Cloud for simple remote connectivity from anywhere using Network Optix's NAT Traversal and Cloud Data Proxy technology.

MANAGE USERS

Add an unlimited number of users to a single Nx Cloud System. Share access to your Nx Witness System in seconds using only email addresses. Create Custom Roles to quickly assign access to multiple Nx Cloud connected Systems.



UNIQUE CAPABILITIES

CONNECTIVITY

CLOUD DATA PROXY: Connect via Nx Cloud to view System data and video

NAT TRAVERSAL (DEFAULT): Connect directly to System via Cloud addressing

SECURE COMMUNICATIONS

SECURITY

PASSWORD RECOVERY: Reset password via email

TWO FACTOR AUTHENTICATION: Combine Password with Authenticator

ENCYRPTED CONNECTIONS: HTTPS OPENSSL

ENCRYPTED VIDEO: Encrypt transmitted and stored video archives

INTERFACE

CLOUD INTERFACE

SYSTEMS: View connected System tiles in Cloud Web Admin

SETTINGS: View users, rename systems, disconnect systems

VIEW: View live or recorded video from connected cameras / streams

INFORMATION: Integrated Health Monitoring of the last 24 hours

MONITORING: Real-time Server monitoring and Logs

SUPPORTED BROWSERS

MOBILE / TABLET: CHROME SAFARI FIREFOX EDGE (AND OTHERS)

COMPUTERS: CHROME SAFARI FIREFOX EDGE (AND OTHERS)

INTEGRATION TOOLS

FOR DEVELOPERS

CLOUD API: Integrate with 3rd party applications and devices

FOR ADMINS

ZAPIER: Create connections to other Cloud apps with Zapier.com

FRS GmbH & Co. KG Email: info@frs-online.de - Internet: www.frs-online.de - Tel: 0231/941135-0



Mobile Overview

A mobile application for iOS and Android devices designed for on-the-go viewing and control of system devices.



| | CONNECT | VIEW | CONTROL | SEARCH |
|------|-----------------------|---------------------------|--------------------------|-----------------------|
| % | NAT Traversal | Live Video (Adaptive) | © Fisheye Dewarping | Keyword Camera Search |
| 3 | Data Proxy via Cloud | Recorded Video (Adaptive) | Pan-Tilt-Zoom (PTZ) | Calendar Search |
| Ä | Encrypted Connections | ℧ Camera Status | 🖒 Soft Triggers | *** Thumbnail Search |
| ((°> | Wifi / LAN / WAN | ■ Layouts | Two-way Audio | Push Notifications |
| رؤي. | 4G / LTE / Data | Adjustable Resolutions | Cloud or Local Systems | • Flex Timeline |
| Ä | Encrypted Video | Portrait / Landscape | ⚠ Unlimited # of Systems | Smart Motion |



Mobile Specs

SUPPORTED DEVICES







ANDROID PHONES / TABLETS

Android 8 Android 9 Android 10 Android 11 Android 12

Android 13

APPLE PHONES / TABLETS

iOS 12, 13, 14, 15, 16 iPadOS 14, 15, 16

VIEWING / PLAYBACK

VIEWING MODES

PORTRAIT

LANDSCAPE

ADJUSTABLE RESOLUTIONS

HIGHEST SPEED (BEST AVAILABLE FRAME RATE)

BEST QUALITY (BEST AVAILABLE RESOLUTION)

1080p

720p

480p

360p

KFY FFATURES

CONNECT FROM ANYWHERE

LAN / WAN: Connect to Systems using public IP address or Dynamic DNS

VIA NX CLOUD: Login to Nx Cloud to view all shared Systems

ADAPTIVE CONNECTIONS: Works well on Wifi or Data (4G / LTE / 3G)

VIEW LIVE OR RECORDED VIDEO

LIVE VIDEO: View live video remotely in real-time

ARCHIVED VIDEO: Review archived footage remotely

CONTROL CAMERAS

FISHEYE CAMERAS: Universal dewarping for fisheye cameras

PTZ: Control PTZ cameras with Joystick and/or tap to move UX

SOFT TRIGGERS: Control soft triggers on cameras

TWO-WAY AUDIO: Talk through I/O or IP cameras that support Audio In / Out

SEARCH

KEYWORD: Search for cameras or layouts by name

CALENDAR: Search by date and time

LAYOUTS: View thumbnails of System Layouts

LIVE THUMBNAILS: Thumbnails refresh in real time

FLEX TIMELINE: Search using the same timeline interaction as Nx Desktop

SMART MOTION: Search using Smart Motion

PUSH NOTIFICATIONS: Recieve customizable push notifications for key events

Try Nx Witness FREE for 30 days

Nx Witness is FREE for live streaming. To try recording cameras activate a FREE 30-DAY TRIAL for 4 cameras.

Get Started with your free trial today: http://networkoptix.com/nx-witness



Developer Tools



◡

3RD PARTY VIDEO DEVICES

The Video Source SDK provides the ability to integrate virtually any live or recorded video source (IP Cameras, NVRs, DVRs, etc) into System. It also allows integrating device I/O ports and motion detection information.

(3)


3RD PARTY I/O DEVICES

The Video Source SDK also provides the ability to integrate 3rd party I/O devices which can increase hard wire interoperability with 3rd party systems and connected devices.




3RD PARTY STORAGE

The Storage SDK allows developers to read from or write to any storage location: local, remote, and cloud. Creating a storage plugin requires implementing standard functions such as: I/O stream, if file exist, delete file, list of files in the folder, etc. The Storage SDK also contains an example for using an FTP server as a storage location.



INTEGRATE ANYTHING USING HTTP API CALLS

A REST API that gives developers the ability to access almost every system feature available in the regular client: query/manage system resources (servers, cameras, users, permissions), pull live or recorded video out of System, generate events, create rules, control PTZ cameras, and more.



CREATE PLUGINS THAT RUN ON NX SERVER

The Metadata SDK allows developers and tech partners to create installable Plugins for Nx Witness which run on the Nx Server application to create tight, seamless integrations. The Metadata SDK is focused on bringing object metadata from 3rd party Systems - like Face Recognition, Retail Analytics, License Plate Recognition, etc - to enhance both real-time system intelligence and post-event, post-capture video search and review.

Nx Witness Dev Tools are FRFFI

Nx Witness developer tools are FREE to use and can be accessed by installing Nx Witness VMS and opening the Server Web Admin interface.

Download Nx Witness today at: http://networkoptix.com/nx-witness